




# Taizhou Miracle Machinery Co.,Ltd



**3**

**Years Warranty**



**10+**

**Years Experience**



**1000+**

**Cooperative Customers**



Since its establishment in 2012, Taizhou Miracle Machinery Co., Ltd. has rapidly expanded, boasting a 20,000-square-meter production workshop equipped with over 20 advanced intelligent manufacturing systems.

We maintain rigorous control over hundreds of production processes, ensuring excellence from **material selection to final product assembly**.

Our unwavering commitment to quality and innovation drives us to deliver tailored retail solutions to customers worldwide, covering diverse sectors including **electronics, beverages, fresh fruits and vegetables, dairy products, and daily necessities**.

With professionalism and dedication, we continuously strive to exceed customer expectations and build lasting partnerships.

www.vendmachinery.com

Email: Amanda@vendmachinery.com

Whatsapp/Wechat: +86 17821797229



# BUSINESS COOPERATION













Drink & Snack



Ice



Soft Ice-cream



Hot Drink/Coffee



Protein Powder



Purified Water



Hot Food




Pizza



Instant Noodles




Fresh Frozen Food



Milk shake shaker cup



Beauty & Surprise Box(Elevator)



Phone Case



Pharmacy



Custom Solutions

# Drink & Snack Vending Machine with 36 slots



AZ-6



AZ-6s

Model	AZ-6	AZ-6s
Product size (L*W*H)	890*860*2047mm	
Touch Screen Size	16-key	7.1 inches
Channel quantity	36	
Product capacity	About 180-540 (according to the product size)	
Storage temperature	4-25°C (adjustment)	
Voltage Configuration	220V 50HZ/60HZ 110V-120V/ 60Hz	
Payment	Bill/coin/card Reader (optional)	
Network method	4G/ WiFi(optional)	
Dispensing System	Spring-loaded rotation (optional)	
Certificate	CE, FCC, ISO9001	


## Recommended Products



# Drink & Snack Vending Machine with 60 slots



**AZ-10**



**AZ-10s**



**AZ-10H**

Model	AZ-10	AZ-10s	AZ-10H
Product size (L*W*H)	850*1170*2047mm		850*1350*2047mm
Touch Screen Size	16-key	7.1 inches	21.5 inches
Channel quantity	60		
Product capacity	About 300-840(according to the product size)		
Storage temperature	4-25°C (adjustment)		
Voltage Configuration	220V 50HZ/60HZ 110V-120V/ 60Hz		
Payment	Bill/coin/card Reader (optional)		
Network method	4G/ WiFi(optional)		
Dispensing System	Spring-loaded rotation (optional)		
Certificate	CE, FCC, ISO9001		

# Drink & Snack Vending Machine Customized



**AZ-20H**



**AZ-10M**

Model	AZ-20H	AZ-10M
Product size (L*W*H)	850*2328*2047mm	850*980*2000mm
Touch Screen Size	21.5 inches	55 inches
Channel quantity	120	60
Product capacity	About 600-1680 (according to the product size)	
Storage temperature	4-25°C (adjustment)	
Voltage Configuration	220V 50HZ/60HZ 110V-120V/ 60Hz	
Payment	Bill/coin/card Reader (optional)	
Network method	4G/ WiFi(optional)	
Dispensing System	Spring-loaded rotation (optional)	
Certificate	CE, FCC, ISO9001	

# Ice Vending Machine



180~450kg

Item (Parameter)	180KG Type	320KG Type	450KG Type	600KG Type	900KG Type
Machine Size	W110× D118.5× H225 (cm)			W170× D170× H2240 (cm)	W170× D135× H230 (cm)
Ice Production (24h)	180KG (at 20° C)	320KG (at 20° C)	450KG (at 20° C)	600KG (at 20° C)	900KG (at 20° C)
Total Number of Ice Trays	198	396	540	720	1080
Refrigerant Model	R404a/R290				
Heat Dissipation Method	Air cooling(Optional: Water cooling)				
Working Temperature	1~38° C(Water-cooled type: max 45° C)				
Selling Way/Ice Packing	Manual bagging/ Automatic bagged ice + Bulk ice	Automatic bagged ice + Bulk ice			
Ice Bag Sizes	1-4KG bag: 300× 560(mm) / 5-7KG bag: 300× 710(mm)				
Single Roll Bag Quantity	300× 560 type: 350 pcs (0.08mm)/300× 560 type: 400 pcs (0.06mm)/300× 710 type: 250 pcs (0.08mm)/300× 710 type: 300 pcs (0.06mm)				
Bag Material	Food grade translucent PE				
Ice Cube Size	22mm× 22mm× 22mm(Customizable: 40× 40× 25mm)				
Payment	Bill/coin/card Reader/IC Card (optional)				
Certificate	CE, ISO9001				



900kg



600kg



Bag Ice



Bulk Ice

# Soft Ice Cream Vending Machine



Feature	Specification
Product Dimensions	928 × 1150 × 1993 mm
Screen Size	32-inch Touch Screen
Output Capacity	16 Varieties
Cup Storage	~100-120 pieces
Temperature	Adjustable
Voltage	220V 50HZ/60HZ
Power Rating	3000W
Network	4G / Wi Fi (Optional)
Payment	Bill/Coin/Card Reader (Optional)
Safety Features	Power-off Protection, Failure Self-detection
Certifications	CE, FCC, ISO9001:2015



## Automated Cup Handling System

Enables fully automated cup processing - including ice cream dispensing, sauce injection, and topping application - with immediate grab-and-go serving capability.



## 30-Second Rapid Serving

Guarantees standardized portion control through precision dispensing technology, maintaining consistent weight ( $\pm 2\%$ ) during peak continuous operation.



## Sealed Anti-Contamination Design

Features segregated ingredient storage with individual sealed compartments, enabling technician-friendly replenishment while preventing pest infiltration.



## Self-Cleaning Sanitation System

One-touch automated cleaning executes scheduled purification of powder transfer lines and dairy reservoirs, preventing ingredient residue accumulation for enhanced sanitation compliance.

# Hot Drink Vending Machine



**AZ-C01**



**AZ-C05**

Feature	AZ-C01	AZ-C05
Dimensions (W×D×H)	500 × 590 × 1420 mm	570 × 590 × 1770 mm
Weight	70 kg	Approx. 92 kg (varies by configuration)
Canister Capacity	4 × 2.5 L	5 × 4 L
Beverage Options	Coffee, Milk Tea, Soy Milk, Hot Chocolate	Coffee, Milk Tea, Soy Milk, Hot Chocolate
Water Supply	Barreled or purified tap water	Auto inlet / Bucket / Direct drinking water
Interface / OS	Android OS	21.5" Capacitive Touch Screen
Connectivity	RS232, USB, Wi-Fi, 4G	Wi-Fi, 4G
Smart Features	Automatic drop cup system	Remote monitoring, fault alerts, membership & promotion tools
Cup Compatibility	63 mm caliber paper cups (6–9 oz)	Automatic cup dispenser (optional)
Payment	Bill/coin	Bill/coin/card Reader (optional)

9oz/254ml



14oz/408ml



# Ground Coffee Vending Machine



**AZ-C86**


Model	AZ-C86
Dimensions (W×H×D)	664 × 1830 × 720 mm (26.1" × 72" × 28.3")
Net Weight	150 kg (331 lbs)
Power Supply	2800W (Operating) / <100W (Standby)
User Interface	21.5-inch vertical touch screen
Coffee Bean Hopper	1 × 1.8 kg (3.97 lbs)
Instant Ingredient Canisters	6 × 4L (1.06 gal each)
Boiler Capacity / Power	700 mL (23.7 oz) / 2700W
Waste Grounds Bin	6L – holds approx. 100 pucks
Waste Water Tank	20L – closed design with full-level sensor
Cup Dispenser	5-point system; holds 150 paper cups (90 mm caliber, 12 oz)
Lid Dispenser	Built-in; holds 85 lids
Beverage Selection	Espresso, Americano, Cappuccino, Latte, Mocha, Hot Chocolate, Milk, Juice, and more
Payment	Bill/coin/card Reader (optional)



The production process is clearly visible

**Clean and hygienic**

**Convenient and fast**



Visible bean bin



Payment methods can be customized



Support 78–90 calibre paper cups

# Robot Arms Coffee Vending Machine

2200mm



Specification	AZ-RC01
Product Type	Commercial Grade Espresso Machine
Operation Mode	Automatic
Power	1500W
Pressure	15 Bar / 9 Bar
Boiler System	Single Boiler (1.5 L Capacity)
Boiler Material	Stainless Steel, Aluminum
Capacity	200 Cups
Function	Stable Pressure Extraction, Programmable, Precise Temperature Control
Special Features	Built-in Timer, Dosing Control, Easy Cleaning, Intelligent Control System, Noise Reduction
Plug Type	AU, EU, JP, KR, UK, US Plug (Multi-standard)
Installation	Plug-And-Play, Easy Setup
Filter Type	Reusable
Color	Black (customized)
Maintenance	Requires Professional Maintenance

# Protein Shake Vending Machine



**AZ-C08**


Model	AZ-C08
Dimensions (W×D×H)	757 × 670 × 1800 mm (29.8" × 26.4" × 70.9")
Net Weight	145 kg (320 lbs)
Rated Power (Max)	3000W (Stirring motor intensive)
User Interface	27-inch Capacitive Touch Screen
Canister Capacity	7 × 4L (Powder Hoppers)
Cup Dispenser	Automatic cup dropping; holds 100 – 120 cups (14 oz)
Water Supply	Auto water inlet / Bucket water / Direct drinking water
Water Output	Cooling and heating functions (compressor cooling standard)
Networking	WiFi + 4G
Backend System	Remote monitoring, fault alerts, membership management, promotion tools
Access	Automatic switch door
Core Feature	Track transmission + Adjustable speed/time mixer
Payment	Bill/coin/card Reader (optional)

## Well-Mixed Protein Shake Drinks

1. Each drinks mixed in cup separately
2. Good taste with high density powder mixing
3. Settle mixing time and speed of each drinks
4. Cleaning mixer each drinks automatically



Independent mixing system



Clean the stir head

# Purified Water Vending Machine



**AZ-W01**

Model	AZ-W01
Product Dimensions (WxDxH)	90 × 85 × 200 cm (35.4" × 33.5" × 78.7")
Package Dimensions (WxDxH)	95 × 90 × 210 cm (37.4" × 35.4" × 82.7")
Net Weight	190 kg (419 lbs)
Operation Mode	24-hour continuous operation
Voltage	110V – 240V (50/60Hz)
Filtration Method	Reverse Osmosis (400G / 800G / 1200G options)
Water Storage	200L PE water tank
Inlet Pressure	0.1 – 0.4 MPa
Payment Methods	IC card, coin, banknotes , card Reader (optional)



# Hot Food Vending Machine



**AZ-F01**


Model	AZ-F01
Product Size (W×H×D)	980 × 1892.5 × 2127 mm (38.6" × 74.5" × 83.7")
Touch Screen Size	21.5-inch
Channel Quantity	40 pieces
Product Capacity	120 – 140 pieces (depending on product size)
Storage Temperature	4 – 25°C (adjustable)
Voltage	110 – 220V, 50/60Hz
Payment Methods	Bill / Coin / Card reader (optional)
Network Method	4G / WiFi (optional)
Color	Red (optional)
Shipment Method	Side push type (optional)
Certificate	CE, FCC, ISO9001
Power	60W – 3000W



Side push type



Conveyor belt chute



Independent elevator transport system




Microwave heating function

# Pizza Vending Machine



Model	AZ-P01
Dimensions (LxWxH)	1800 × 1100 × 2400 mm (70.9" × 43.3" × 94.5")
Size (Alternative)	1790 × 974 × 2275 mm (70.5" × 38.3" × 89.6")
Package Size (per batch)	190 × 135 × 260 cm (74.8" × 53.1" × 102.4")
Net Weight	500 kg (1102 lbs)
Gross Weight (per batch)	700 kg (1543 lbs)
Capacity	20 – 150 pcs
Pizza Sizes Compatible	10-inch / 12-inch
Voltage	AC 220V / AC 110V / 220V / 380V
Heating Capability	Up to 350°C (662°F)
Baking Time	Minimum 90 seconds
Network Compatibility	Wi-Fi, 5G
Display Type	Touchscreen
Touch Screen Sizes	55 inches / 32 inches
Payment Methods	Bill / Coin / Card reader (optional)

AZ-P01



# Hot Noodle Vending Machine



**AZ-N1**

Feature	AZ-N1
Package Dimensions	90 × 135 × 205 cm
Body Material	Stainless Steel (Custom graphics available)
Display	22-inch Capacitive Touchscreen
Capacity	Multiple product lanes (Lane count not specified)
Temperature Range	Ambient to 80°C (Heating)
Cooling System	Absorption & Thermoelectric Cooling
Power Consumption	750W
Connectivity	Wi-Fi, 4G LTE (Remote monitoring enabled)
Smart Features	Auto-clean function, Remote monitoring, Digital receipts
Payment	Bill / coin / card Reader (optional)

## Product Specifications



# Fresh Frozen Food/Ice cream Vending Machine



**AZ-FRZ01**

	AZ-FRZ01	AZ-FRZ02
Dimensions (H×W×D)	2020 × 830 × 740 mm	1980 × 1220 × 760 mm
Package Size	266 × 200 × 200 cm	122 × 76 × 198 cm
Net Weight	256 kg	350 kg
Gross Weight	286 kg	385 kg
Touch Screen Size	10.1 inches	10.1 inches/21.5 inches
Capacity	90 ~ 252 pcs	250 ~ 360 pcs
Slots / Lanes	36 Slots	50 Slots
Cooling Temperature	-18° C to -25° C (Adjustable)	-18° C to -25° C (Adjustable)
Power Consumption	100 ~ 440W	100 ~ 440W
Payment System	Coin, Bill, Credit Card, QR Code	Coin, Bill, Credit Card, QR Code
Smart Features	SDK Support	SDK Support
Certifications	CE, FCC, CB	CE, FCC, CB
Color Options	Black, White (OEM Available)	Black, White (OEM Available)



**AZ-FRZ02**



**AZ-FRZ02**



# Smoothie Vending Machine



**AZ-S01**

Feature	AZ-S01
Dimensions (H×W×D)	1965 × 1275 × 865 mm
Net Weight	290 kg
Gross Weight	350 kg
Packaging Dimensions	127 × 91 × 199 cm
Capacity	225 – 300 pieces (60 Slots)
Cooling System	Compressor Cooling
Display	21.5-inch Touchscreen
Payment System	Coin, Bill, Credit Card, QR Code
Power Consumption	750W
Connectivity	Wi-Fi, 4G LTE (Cloud-Based Management)
Color Options	White, Black, or Customized (OEM)



1. 点击屏幕，选择想要的水果，扫码付钱  
Click on the screen, select the fruit you want, and scan the QR code to pay.



2. 指定的水果杯子会掉落。在下方的取货口取出杯子，打开盖子，放进右方的进口  
The designated fruit cup will fall. Take out the cup from the pickup port below, open the lid, and put it into the entrance on the right.



3. 等待40秒后，取货口打开，可以拿走一杯新鲜的奶昔  
After waiting for 40 seconds, the pickup port will open and you can take out a fresh milkshake.

# Beauty Vending Machine




Feature	AZ-B01	AZ-B02
Channel Quantity	36 pieces	60 pcs
Touch Screen Size	16-key	21.5-inch
Product Size	890 × 840 × 1964 mm	840×1363×1964mm
Product Capacity	About 180-504 pieces (according to the product size)	About 300-840 pieces (according to the product size)
Color	Optional	
Network Method	4G / WiFi (optional)	
Payment Methods	Bill / Coin / Card Reader (optional)	
Power	50W	
Shipment Method	Spring-loaded rotation (optional)	
Vol tage	220V 50HZ/60HZ	
Certi fi cates	ROHS, CE, FCC, ISO9001	

**AZ-B01**



**AZ-B02**



# Nail Print Machine

Product Name	Nail Print Machine
Dimensions	L1200 * W1020 * H1950 mm (120102195 cm)
Weight	300 KG
Touch Screen	32-inch
Voltage	110V - 220V (Compatible with global standards)
Power	450W
Capacity	720 PCS (Likely refers to consumable storage capacity)
Warranty	1 Year



# Elevator Vending Machine For Surprise Box, Red Wine, Fragile Items, etc.




AZ-Y

	AZ-Y	AZ-XY
Product Size	850 * 1350 * 2047 mm	980 * 1692.5 * 2127 mm
Touch Screen	21.5-inch	21.5-inch
Channel Qty	54 pieces	40 pieces
Product Capacity	Approx. 300-840 pcs (depending on size)	120-140 pcs (depending on size)
Delivery System	Vertical Lift System	XY-axis Delivery System
Shipment Method	Spring-loaded rotation	Conveyor belt chute
Power	550W	60W - 3000W
Additional Features	Power-off protection, Failure self-detection	Automatic utensil dispenser, Power-off protection, Failure self-detection
General Specs	4-25° C adjustable, 110V-220V, 4G/Wi Fi, CE/FCC/ISO9001	4-25° C adjustable, 110V-220V, 4G/Wi Fi, CE/FCC/ISO9001



AZ-XY



# Phone Case Vending Machine




**AZ-PH**

Specification	AZ-PH
Product Size	950 * 1130 * 1942 mm
Touch Screen Size	32-inch
Product Category	81 slots / pieces
Product Capacity	405 pcs (phone cases)
Voltage	110V-220V 50HZ/60HZ
Payment	Bill / Coin / Card Reader (optional)
Network Method	4G / WiFi (optional)
Color	White (optional)
Shipment Method	Mechanical arm clamping
Customization Method	UV Printing
Certificate	CE, FCC, ISO9001
Power	50-300W



**Automated Print Management System**

Enables end-to-end automation of phone case customization - including model selection, case transport, and finished product dispensing.



**Industrial UV Printer**

Commercial-grade UV curing technology delivers rapid printing with Pantone-validated color accuracy and permanent graphic bonding.



**Quick-Replenishment Charging Pod**

The phone case features an independent storage design, offering ample and organized capacity for effortless replenishment.



**Highly compatible with a wide range of mobile phone models**

Compatible with most mobile phone brands and models on the market, offering broad market reach without restrictions.

# Pharmacy Vending Machine



AZ-Pharma01



AZ-Pharma02



AZ-Pharma03



AZ-Pharma04



AZ-Pharma05

Specification	AZ-Pharma01	AZ-Pharma02	AZ-Pharma03	AZ-Pharma04	AZ-Pharma05
Product Size	897* 975*1992mm	850* 1350*2047mm	1102* 1600*2200mm	850* 2325*2047mm	630* 896*1992mm
Touch Screen	32-inch	43+32-inch	32-inch	43+32-inch	21.5-inch
Channel Qty	155 pcs	155 pcs	369 pcs	310 pcs	107 pcs
Capacity	700-1300 pcs	700-1300 pcs	1800-3000 pcs	1500-2500 pcs	500-900 pcs
Storage Temp	Room temp or refrigerated (4-25° C)				
Voltage	110V-220V 50HZ/60HZ				
Payment	Bill/Coin/Card Reader (optional)				
Network	4G/Wi Fi (optional)				
Color	White (optional)				
Power	550W				
Protection	Power-off & Failure self-detection				
Certificates	CE, FCC, ISO9001, ISO14001, ISO145001				
Function	SDK supported				
Interface	MDB / DEX				

# Multiple Functional Health Check Station



**AZ-H01**

Specification	AZ-H01	AZ-H02
Product Size	1600*1600*2493mm	1450*2750*2600mm
Touch Screen Size	21.5-inch	43+21.5-inch (Dual Screen)
Testing Program	15 items (Health Check)	155 pieces (Likely Vending Channels)
Product Capacity	N/A (Focus on Health Testing)	About 700-1300 pieces
Storage Temperature	N/A	4-25° C (Adjustable)
Indoor Temperature	Built-in air conditioner	Built-in air conditioner
Voltage	220V 50HZ/60HZ	220V 50HZ/60HZ
Power	550W	1000W
Payment	Bill/Coin/Card Reader (optional)	Bill/Coin/Card Reader (optional)
Network Method	4G/ WiFi (optional)	4G/ WiFi (optional)
Color	White (optional)	White (optional)
Function	SDK supported	SDK supported
Standard Interface	MDB / DEX	MDB / DEX
Certificate	ISO9001, ISO14001, ISO145001	CE, FCC, ISO9001, ISO14001, ISO145001



**AZ-H02**



Height/weight measurement



Body composition measurement



Blood pressure measurement



ECG measurement



Body temperature measurement



Blood oxygen saturation measurement

# Automated Pharmacy Dispenser | Pharmacy Management | Medication Management

Specification	AZ-PD
Product Size	4860*1600*2040mm
Touch Screen Size	32-inch
Channel Quantity	720 pieces
Product Capacity	About 840 pieces (depending on product size)
Shipment Method	Mechanical arm clamping
Automatic Replenishment	150 boxes at a time (Highly efficient restocking)
Storage Temperature	4-25° C (Adjustable)
Voltage	220V 50HZ/60HZ
Power	300-2000W
Network Method	4G / Wi Fi (optional)
Color	White (optional)
Certificate	ISO9001, ISO14001, ISO145001, Rohs
Protection	Power-off protection & Failure self-detection (Supported)



**AZ-PD**




**Automatic replenishment of drugs**

Supports automatic import of large quantities at once, such as unorganized placement and stacking.



**Auto-dispensing**

With the high-speed dispensing system, the robotic arm can dispense up to 2,000 boxes per hour, reducing manual errors.



**Large capacity**

Occupying an area of only 7 square meters, it can store about 3,000 boxes of drugs.





**Prioritizes recent medications**

AI scanning automatically identifies the lot number and expiration date of drugs, and the algorithm of prioritizing the use of recent and expired drugs automatically shields and cleans up expired drugs regularly to avoid waste and safety hazards.

# Small Vending Machine

Model	Weight	Slot	Payment Method	Touch-screen
11	10kg	4 slots	Credit card,cash	15 inches

## SUGGESTED MERCHANDISE



# Fresh Orange Juice Vending Machine

Specification	Details
Machine Size	1330mm * 1020mm * 2000mm
Package Size	1450mm * 1180mm * 2250mm
Net Weight	395 KG
Power / Voltage	1050W / 230V / 115V
Screen Size	21.5-inch Touch Screen
Capacity	330 Oranges / 60 Fruit Troughs
Orange Size	50mm - 80mm (Diameter)
Dispensing Speed	45s / cup
Daily Output	Approx. 70 cups
Refrigeration	3-5° C (Whole machine cooling system)



## Accessories List



330 Oranges  
60 Fruit Troughs



Extrusion Fittings



70 Cups



Filter Plates



Funnel



Banknote Receiver



13 OZ 380ml



Compressor  
(Litalian Brand)



Plastic Trash Cans



Cup Holder



Automatic Cleaning



Wash The  
Water Gun

# Flower Vending Machine



AZ-Flower01



AZ-Flower02



AZ-Flower03



AZ-Flower04



AZ-Flower05


Specification	AZ-Flower01	AZ-Flower02	AZ-Flower03	AZ-Flower04	AZ-Flower05
Product Size	750*1317*1980mm	698*1463*2101mm	750*2200*3000mm	796.5*1500*2122.1mm	750*2000*2200mm
Touch Screen	21.5-inch	15.6-inch	21.5-inch	15.6-inch	21.5-inch
Product Category	8 pieces	8 pieces	24 pieces	10 pieces	48 pieces
Color	Macaron Colors (optional)	Black (optional)	White (optional)	Pink (optional)	Greens (optional)
Storage Temp	Summer: 7-12° C / Winter: 5-10° C				
Voltage	110V-220V 50/60HZ		220V-240V 50/60HZ		
Power	550W				1200W
Shipment Method	Door-Release Delivery				
Payment	Bill/Coin/Card Reader (optional)				
Network	4G / WiFi (optional)				
Certificate	CE, FCC, ISO9001				
Protection	Power-off & Failure self-detection				

# Smart Fridge Vending Machine




Model	AZ-55
Name	Smart Fridge Vending Machine
Outside Dimensions	2060x1230x765mm
Interior Storage	10 layers
Storage Capacity	according to size of goods
Refrigeration temperature	-25~8(adjustable)
Electricity	6kwh/24h
Weight	200 kg


# Perfume Vending Machine



Model	AZ-Perfume
Dimensions	W730 * D200 * H450 mm
Weight	22 kg
Material	Galvanized thickened sheet metal
Screen	10.1-inch LED touch screen
Capacity	5 * 120 ml (Likely for small liquid or capsule items)
Voltage	110~120V / 220~240V; 50/60HZ
Peak Power	30W
Network Mode	4G, Wi Fi
Standard Interface	MDB (Multi-Drop Bus)
Certification	CE
Warranty	12 months (Includes video technical support)
Application	Residence, park, airport, hotel, club, hospital, subway station, railway station, office building, movie theater, shopping mall, etc.



# Lattice Cabinet



Dimension	1972x1130x330mm
Weight	80kg
Quantity	36
Slot Type	Spiral/ Conveyor/ Pusher
Storage Quality	30-90pcs ( depending on the product size )
Power	150w
Shipping Method	Automatic door opening monitoring and identification

# Helmet Care Machine



Weight	About 140 KG
Power	Drying: ~1200W (for 2 mins); Standby: ~100W
Screen	21.5-inch (Resolution: 1920*1080 pixels, Brightness: 250 cd/m <sup>2</sup> )
Touch Screen	21.5-inch Capacitive 10-point touch (Response time: <15ms)
Mainboard	Android (Rockchip RK3568, 2GB RAM, 16GB ROM)
Speaker	Built-in audio for process reminders and customer service
Lighting	Dazzling colorful lights for a cool look and night visibility
Networking	Supports WiFi, 4G IoT card, and Ethernet cable
Payment Method	Supports Cash, Card, and Electronic payments
Cargo Bay	1 Helmet cleaning compartment